Email: producttesting@awgc.com.au



Internet: www.awqc.com.au FINAL REPORT

**Report ID:** 354931

**Report Information** 

Submitting Organisation :00109358 : Parchem Construction Supplies Pty LtdAccount :130335 : Parchem Construction Supplies Pty Ltd

**AWQC Reference :** 130335-2022-CSR-2 : Prod Test: Nitoprime Zincrich

Project Reference: PT-5068

**Product Designation :** Fosroc Nitoprime Zincrich - Metal Primer

**Composition of Product :** Zinc in Solvent Based Carrier - Epoxy Resin Primer.

Product Manufacturer: Parchem Construction Supplies Pty Ltd, Wyong, NSW, AUSTRALIA.

Use of Product: In-Line/Zinc Based Primer Coating.

**Sample Selection:** As provided by the submitting organisation.

Testing Requested: AS/NZS 4020:2018 TESTING OF PRODUCTS FOR USE IN CONTACT WITH DRINKING

**WATER** 

Product Type: Composite

Samples: Samples were prepared and controlled as described in Appendix A of AS/NZS 4020:2018

(Incorporating Amendment No.1)

**Extracts**: Extracts were prepared as described in Appendix/Clause C, D, E, F, H, 6.8.

Project Completion Date: 02-Feb-2023

Project Comment: Sample received 19-Oct-2022, testing commenced 21-Nov-2022. The primer was applied

and cured for 60 minutes at 20°C prior to the commencement of testing.

### PLEASE NOTE THAT THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL

THE RESULTS STATED IN THIS REPORT RELATE TO THE SAMPLE OF THE PRODUCT SUBMITTED FOR TESTING TO ASNZS 4020:2018. ANY CHANGES IN THE MATERIAL FORMULATION, PROCESS OF MANUFACTURE, THE METHOD OF APPLICATION, OR THE SURFACE AREA-TO-VOLUME RATIO IN THE END USE, COULD AFFECT THE SUITABILITY OF THE PRODUCT FOR USE IN CONTACT WITH DRINKING WATER







applippy,

- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at

250 Victoria Square Adelaide SA 5000

Email: producttesting@awqc.com.au

Tel: 1300 653 366

Fax: 1300 883 171



**FINAL REPORT** 

Internet: www.awgc.com.au

Report ID: 354931

# **Summary of Results**

APPENDIX/CLAUSE	RESULTS
C - Taste	Passed at an exposure of 2500 mm² per Litre.
D - Appearance	Passed at an exposure of 2500 mm² per Litre.
E — Growth of Aquatic Micro-organisms	Passed at an exposure of 2500 mm² per Litre.
F — Cytotoxic Activity	Passed at an exposure of 2500 mm² per Litre.
H - Metals	Passed at an exposure of 2500 mm² per Litre.
6.8 - Organic Compounds	Passed at an exposure of 2500 mm² per Litre.

### **Test Methods**

Test(s) in Appendix	AWQC Test Method	NATA Accredited
С	T0320-01	Y
D	TO029-01 & TO018-01	Y
Е	TO014-03	Υ
F	TM-001	Y
Н	TIC-006	Y

## **Organic Test Methods**

Test(s) in Clause	Test Method	NATA Accredited
Clause 6.8	TMZ-M36	Y
	EP239	Υ
	EP132-LL	Υ
	EP075C	Υ
	EP075ASIM	Υ





- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at
- $\underline{\verb| <https://www.awqc.com.au/our-services/Water-quality-testing-and-analysis/measurement-uncertainty>|}$

PO Box 1751 250 Victoria Square Adelaide SA 5001 Adelaide SA 5000 Tel: 1300 653 366 Fax: 1300 883 171



Internet: www.awqc.com.au Email: producttesting@awqc.com.au

**FINAL REPORT** 

**Report ID**: 354931

## **Laboratory Information**

Laboratory	NATA accreditation ID
Product Testing	1115
Australian Laboratory Services Pty Ltd - New South Wales	825,992
Inorganic Chemistry - Physical	1115
Protozoology	1115
Organic Chemistry	1115
Inorganic Chemistry - Metals	1115
Inorganic Chemistry - Waste Water	1115

**Summary Comment:** 

Not applicable.





- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at

Email: producttesting@awqc.com.au



Internet: www.awqc.com.au

**FINAL REPORT** 

**Report ID:** 354931

CLAUSE 6.2 Taste

**Sample Description** The sample consisted of a glass slide with a single side coated measuring 25 mm x 100 mm

giving an approximate surface area of 2500 mm<sup>2</sup> per Litre. Extracts were prepared using 1000

mL volumes of 50 mg/L hardness water.

**Extraction Temperature**  $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ .

Test Method Taste (Appendix C)

**Test Information** 

Scaling Factor Not applied.

Results Not Detected (sample and controls).

**Evaluation** The product passed the requirements of clause 6.2 when tested at an exposure of 2500 mm<sup>2</sup>

per Litre.

Number of Samples 2.

Test Comment Not applicable.

Peter Christopoulos
APPROVED SIGNATORY



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



#### Notes

- Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be
- considered. Measurement uncertainty is available at <a href="https://www.awgc.com.au/our-services/Water-quality-testing-and-analysis/measurement-uncertainty">https://www.awgc.com.au/our-services/Water-quality-testing-and-analysis/measurement-uncertainty></a>

ictoria Square Tel: 1300 653 366 ide SA 5000 Fax: 1300 883 171

Email: producttesting@awqc.com.au



Internet: www.awqc.com.au

**FINAL REPORT** 

**Report ID**: 354931

CLAUSE 6.3 Appearance

**Sample Description** The sample consisted of a glass slide with a single side coated measuring 25 mm x 100 mm

giving an approximate surface area of 2500 mm<sup>2</sup> per Litre. Extracts were prepared using 1000

mL volumes of 50 mg/L hardness water.

**Extraction Temperature**  $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ .

Test Method Appearance (Appendix D)

Scaling Factor Not applied.

Results

	<u>Test (- Blank)</u>	Maximum Allowed	<u>Units</u>
Colour	<1	5	HU
Turbidity	<0.1	0.5	NTU

**Evaluation** The product passed the requirements of clause 6.3 when tested at an exposure of 2500 mm<sup>2</sup>

per Litre.

Number of Samples 1.

Test Comment Not applicable.

Andrew Ford
APPROVED SIGNATORY



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at

Email: producttesting@awgc.com.au



Internet: www.awqc.com.au

**FINAL REPORT** 

**Report ID**: 354931

CLAUSE 6.4 Growth of Aquatic Micro-organisms

**Sample Description** The sample consisted of a glass slide with a single side coated measuring 25 mm x 100 mm

giving an approximate surface area of 2500 mm<sup>2</sup> per Litre. Extracts were prepared using 1000

mL volumes of test water.

**Test Method** Growth of Aquatic Micro-organisms (Appendix E)

**Inoculum** The volume of the inoculum was 100 mL

Scaling Factor Not applied.

Results

Mean Dissolved Oxygen Control 6.7 mg/L

Mean Dissolved Oxygen Difference Positive Reference 4.3 mg/L

Negative Reference <0.1 mg/L

Test <0.10 mg/L

**Evaluation** The product passed the requirements of clause 6.4 when tested at an exposure of 2500 mm<sup>2</sup>

per Litre.

Number of Samples 1.

Test Comment Not applicable.

Thuy Diep
APPROVED SIGNATORY



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



#### Notes

- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at

Email: producttesting@awqc.com.au



Internet: www.awqc.com.au

**FINAL REPORT** 

**Report ID:** 354931

CLAUSE 6.5 Cytotoxic Activity

**Sample Description** The sample consisted of a glass slide with a single side coated measuring 25 mm x 100 mm

giving an approximate surface area of 2500 mm<sup>2</sup> per Litre. Extracts were prepared using 1000

mL volumes of 50 mg/L hardness water.

Extraction Temperature 20°C ± 2°C.

Test Method Cytotoxic Activity (Appendix F)

Scaling Factor Not applied.

Results 24 HR Non-cytotoxic response, healthy cell morphology with <30% cell death

48 HR Non-cytotoxic response, healthy cell morphology with <30% cell death

72 HR Non-cytotoxic response, healthy cell morphology with <30% cell death

Blank Control Results Blank; non-cytotoxic response, healthy cell morphology with <30% cell death

Positive Control Results Positive control; Cytotoxic response, unhealthy cell morphology with >70% cell death

The test extracts and blank extracts were used to prepare nutrient growth medium and subsequently used to grow a cell line (ATCC Number CCL 81) in the analysis. In addition

zinc sulphate (0.4 mmol) was used for the positive control in the analysis.

**Evaluation** The product passed the requirements of clause 6.5 when tested at an exposure of 2500 mm<sup>2</sup>

per Litre.

Number of Samples 1.

Test Comment Not applicable.

Mira Maric APPROVED SIGNATORY



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at

Email: producttesting@awgc.com.au



Internet: www.awqc.com.au

**FINAL REPORT** 

**Report ID**: 354931

CLAUSE 6.7 Metals

**Sample Description** The sample consisted of a glass slide with a single side coated measuring 25 mm x 100 mm

giving an approximate surface area of 2500 mm<sup>2</sup> per Litre. Extracts were prepared using 1000

mL volumes of 50 mg/L hardness water.

**Extraction Temperature** 20°C ± 2°C.

Test Method Metals (Appendix H)

Scaling Factor Not applied.

Method of Analysis Concentration of the metals described in Table 2 of the AS/NZS 4020:2018 are determined

as follows:

Aluminium, Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Iron, Lead, Manganese, Mercury, Molybdenum, Nickel, Selenium and Silver by Inductively Coupled

Plasma Mass Spectrometry.

Results	Limit of Reporting mg/L	Blank mg/L	Test 1 mg/L	Test 2 mg/L	Max Allowed mg/L
Final Extract					
Aluminium	0.001	0.001	0.003	0.002	0.2
Antimony	0.0003	< 0.0005	< 0.0005	< 0.0005	0.003
Arsenic	0.00006	< 0.0003	<0.0003	< 0.0003	0.01
Barium	0.0003	< 0.0005	<0.0005	<0.0005	0.7
Boron	0.020	<0.020	<0.020	<0.020	1.4
Cadmium	0.0001	<0.0001	<0.0001	<0.0001	0.002
Chromium	0.0001	0.0002	0.0002	0.0001	0.05
Copper	0.0001	0.0002	<0.0001	< 0.0001	2.0
Iron	0.0005	0.0008	0.0008	< 0.0005	0.3
Lead	0.0001	<0.0001	< 0.0001	< 0.0001	0.01
Manganese	0.0001	<0.0001	<0.0001	<0.0001	0.1
Mercury	0.00003	<0.00003	< 0.00003	<0.00003	0.001
Molybdenum	0.0001	<0.0001	< 0.0001	< 0.0001	0.05
Nickel	0.0002	< 0.0001	0.0001	< 0.0001	0.02
Selenium	0.0001	< 0.0001	<0.0001	< 0.0001	0.01
Silver	0.00002	<0.00003	<0.00003	<0.00003	0.1

**Evaluation** The product passed the requirements of clause 6.7 when tested at an exposure of 2500 mm<sup>2</sup>

per Litre.

Number of Samples 1.

Test Comment Not applicable.

Dzung Bui APPROVED SIGNATORY



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



#### Notes

- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at



Internet: www.awqc.com.au Email: producttesting@awqc.com.au

**FINAL REPORT** 

**Report ID**: 354931

CLAUSE 6.8 Organic Compounds

Sample Description The sample consisted of a glass slide with a single side coated measuring 25 mm x 100 mm

giving an approximate surface area of 2500 mm<sup>2</sup> per Litre. Extracts were prepared using 1000

mL volumes of 50 mg/L hardness water.

**Extraction Temperature**  $20^{\circ}\text{C} \pm 2^{\circ}\text{C}$ .

Test Method Organic Compounds (Clause 6.8). The maximum allowed (Max Allowed) values are taken from

the Australian Drinking Water Guidelines and Drinking-water Standards for New Zealand. Please

note, some reported compounds have no guideline value.

Scaling Factor Not applied.

Results

**Organic Compound** 

Blank	Test	Max Allowed
μg/L	μg/L	
ES2239768	ES2239768	
<0.003	<0.003	
<0.01	<0.01	
<0.003	<0.003	
<0.01	<0.01	
<0.003	<0.003	0.1 µg/L
<0.003	<0.003	
<0.003	<0.003	
	μg/L ES2239768 <0.003 <0.01 <0.003 <0.01 <0.003 <0.003	μg/L ES2239768

## **Organic Compound**

Organic Compound			
Phenois	Blank	Test	Max Allowed
	μg/L	μg/L	
!External Lab Report No.	ES2239768	ES2239768	
2 4 5-trichlorophenol	<1.0	<1.0	
2 4 6-trichlorophenol	<1.0	<1.0	20 μg/L
2 4-dichlorophenol	<1.0	<1.0	200 μg/L
2 4-dimethylphenol	<1.0	<1.0	
2 6-dichlorophenol	<1.0	<1.0	
2-chlorophenol	<1.0	<1.0	300 μg/L
2-nitrophenol	<1.0	<1.0	
4-chloro-3-methylphenol	<1.0	<1.0	
m+p cresol	<2.0	<2.0	
o-cresol	<1.0	<1.0	
pentachlorophenol	<2.0	<2.0	9 μg/L
phenol	<1.0	<1.0	





- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at



Internet: www.awgc.com.au Email: producttesting@awqc.com.au

**FINAL REPORT** 

Report ID: 354931

npound
1

Phthalate Esters	Blank	Test	Max Allowed
	μg/L	μg/L	
!External Lab Report No.	ES2239768	ES2239768	
Bis(2-ethylhexyl) phthalate	<10	<10	10 μg/L
Butyl benzyl phthalate	<2	<2	
Di(2-ethylhexyl) adipate	<2	<2	
Diethyl phthalate	<2	<2	
Dimethyl phthalate	<2	<2	
Di-n-butyl phthalate	<2	<2	
Di-n-octyl phthalate	<2	<2	

## 0

Organic Compound			
Polycyclic Aromatic Hydrocarbons	Blank	Test	Max Allowed
	μg/L	μg/L	
!External Lab Report No.	ES2239768	ES2239768	
Acenaphthene	<0.02	<0.02	
Acenaphthylene	<0.02	<0.02	
Anthracene	<0.02	<0.02	
Benzo(a)anthracene	<0.02	<0.02	
Benzo(a)pyrene	<0.005	<0.005	0.01 µg/L
Benzo(a)pyrene TEQ	<0.005	<0.005	
Benzo(b+j)fluoranthene	<0.02	<0.02	
Benzo(ghi)perylene	<0.02	<0.02	
Benzo(k)fluoranthene	<0.02	<0.02	
Chrysene	<0.02	<0.02	
Dibenzo(a-h)anthracene	<0.02	<0.02	
Fluoranthene	<0.02	<0.02	
Fluorene	<0.02	<0.02	
Indeno(123-cd)pyrene	<0.02	<0.02	
Naphthalene	<0.02	0.07	
PAH - Total	<0.005	0.070	
Phenanthrene	<0.02	<0.02	
Pyrene	<0.02	<0.02	





1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval

2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at

Corporate Accreditation No.1115

Chemical and Biological Testing Accredited for compliance

with ISO/IEC 17025 - Testing



Internet: www.awqc.com.au Email: producttesting@awqc.com.au

**FINAL REPORT** 

**Report ID:** 354931

### **Organic Compound**

		Max Allowed
μg/L	μg/L	
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	1 μg/L
<1	<1	1 μg/L
<1	<1	1500 µg/L
<1	<1	3 µg/L
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	40 μg/L
<1	<1	
<1	<1	30 μg/L
<1	<1	
<1	<1	
<1	<1	
<1	<1	
<1	<1	1 μg/L
<1	<1	
<1	<1	
<1	<1	60 µg/L
<1	<1	100 μg/L
<4	<4	
<1	<1	3 µg/L
		300 µg/L
		400 μg/L
<4		
<1		
		150 μg/L
		4 μg/L
•		300 μg/L
		0.7 μg/L
<2	5	
	<1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <1 <	μg/L  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



#### Notes

- 1. Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at
  - $\underline{\verb§||} \verb§|| ttps://www.awqc.com.au/our-services/Water-quality-testing-and-analysis/measurement-uncertainty>||}$



Internet: www.awqc.com.au Email: producttesting@awqc.com.au

**FINAL REPORT** 

**Report ID:** 354931

### **Organic Compound**

<b>Volatile Organic Compounds Go</b>	CMS Blank	Test	Max Allowed
	μg/L	μg/L	
Naphthalene	<1	<1	
n-Butylbenzene	<1	<1	
n-Propylbenzene	<1	<1	
o-Xylene	<1	8	
sec-Butylbenzene	<1	<1	
Styrene	<1	<1	30 μg/L
tert-Butylbenzene	<1	<1	
Tetrachloroethene	<1	<1	50 μg/L
Toluene	<1	<1	800 μg/L
Total 1 2-dichloroethene	<2	<2	60 μg/L
Total 1 3-dichloropropene	<2	<2	20 μg/L
Total Trichlorobenzene	<2	<2	30 μg/L
Total Xylene	<3	13	600 µg/L
trans-1 3-Dichloropropene	<1	<1	
trans-1,2-Dichloroethene	<1	<1	
Trichloroethene	<1	<1	
Trichlorofluoromethane	<1	<1	
Trihalomethanes - Total	<4	<4	250 μg/L
Vinyl chloride	<0.3	<0.3	0.3 μg/L

**Evaluation** The product passed the requirements of clause 6.8 when tested at an exposure of 2500 mm<sup>2</sup>

per Litre.

Number of Samples 1.

Test Comment Not applicable.

Qiong Huang

APPROVED SIGNATORY



Corporate Accreditation No.1115 Chemical and Biological Testing Accredited for compliance with ISO/IEC 17025 - Testing



#### Notes

- Uncertainty of Measurement is reported with a coverage factor of 2 providing approximately 95% confidence interval
- 2. Where a result is required to meet compliance limits the associated measurement uncertainty must be considered. Measurement uncertainty is available at
- <a href="mailto://www.awqc.com.au/our-services/Water-quality-testing-and-analysis/measurement-uncertainty">measurement-uncertainty</a>